


	<p>For cleaning damaged internal threads Includes: NG-1 Handle and TC Blade (BC 1000)</p>
--	---

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
NG 1600	Thread Cleaner	50	30	30	175

	<p>Instructions</p> <p>Do not use heavy pressure when deburring as this will cause the blade to dig into the material and give an uneven finish Use light and even pressure which will allow the blade and handle to work together to remove the burr and leave a smooth finish on the component</p> <p>Blades should be handled carefully as they are sharp and can cut Blades can break causing flying objects Sharp edges and flying objects can cause injury Users and bystanders should wear protective safety glasses Do not pry or bend blades Keep blades and sharp tools away from children Do not regrind blades as this will weaken the blade and cause breakage and possible injury</p> <p>All Noga products meet the strict requirements of ISO 9001 and ISO 14001</p>
---	--

NG-1 Handle

	<p>NG-1 Handle accepts all “S” type Blades Ergonomic soft grip, acetyl and rubber construction Removable end cap for blade storage 125mm long x 28mm maximum diameter Blades are secured by pulling back the front locking mechanism and are free to rotate</p>
---	---



Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
NG-1 Handle	NG1000	45	32	32	153

Product: Noga Thread Cleaner: NG 1600

Page 2 of 2

BC 1000 Thread Cleaning Blade

		<p>Replacement Blade for Thread Cleaner (NG 1600) Material: HSS Included Blade Angle: 40° Minimum Internal Diameter: 9mm Maximum Thread Pitch: 3mm Used with NG-1 Handle or S Holder with NG-3 Handle</p>
---	---	--

Packed Weight and Dimensions

Code	Description	Pack Quantity	Weight g	W mm	H mm	L mm
BC1000	Replacement Blade for Thread Cleaner	10	45	36	20	70