



Super Burr


	<p>Suitable for heavy duty deburring work where extended blade position is required Supplied with: NG-3 Handle S type telescopic blade holder 3 different heavy duty deburring blades suitable for work on the following materials and applications: S10S: Plastics and hard materials S20: Brass and cast Iron S30: Removal of Internal and External Burrs simultaneously</p>
--	---

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
NG 3003	Super Burr	93	32	32	153

	<p>Instructions</p> <p>Do not use heavy pressure when deburring as this will cause the blade to dig into the material and give an uneven finish Use light and even pressure which will allow the blade and handle to work together to remove the burr and leave a smooth finish on the component</p> <p>Blades should be handled carefully as they are sharp and can cut Blades can break causing flying objects Sharp edges and flying objects can cause injury Users and bystanders should wear protective safety glasses Do not pry or bend blades Keep blades and sharp tools away from children Do not regrind blades as this will weaken the blade and cause breakage and possible injury</p> <p>All Noga products meet the strict requirements of ISO 9001 and ISO 14001</p>
---	---

NG-3 Handle

	<p>NG-3 Handle accepts all Blade Holders Ergonomic soft grip, acetyl and rubber construction Removable end cap for blade storage 125mm long x 28mm maximum diameter</p>
---	--

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
NG-3 Handle	NG3000	45	32	32	153

S Holder


	<p>Holds all "S" type Blades with 3.2mm shank Used in NG-3 Handle Telescopes from 30 to 115mm in Handle</p>
--	---


Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
EL 02003	S Holder	45	23	23	153


Super Burr


S10S Heavy Duty Deburring Blade

	Order Code	S10S / S100				
	Pack Reference	BS1018				
	Cutting	Right Hand				
	Works best on	Stainless Steel and Plastics				
	Used with Handle	NG-1, NG-3 + S Holder, Plastic Edge Off, Rapid Burr, Plastic Rapid Burr,				
Packed Weight and Dimensions						
Code	Pack Quantity	Weight g	Wmm	Hmm	Lmm	
S10S / S100	10	40	65	8	83	

	Order Code	S10S / S100	
	Included Angle	45°	
	Blade Material	HSS Co	
	Blade Hardness	65 – 67 HRC	
	L: Overall Length	48mm	
	L1: Length Inside Handle	28mm	
	L2: Protrusion from Handle Length	20mm	
	L3: Cutting Length	6mm	
D: Shank Diameter	3.2mm		


S20 Heavy Duty Deburring Blade


	Order Code	S20				
	Pack Reference	BS2010				
	Cutting	Left and Right Hand				
	Works best on	Brass and Cast Iron				
	Used with Handle	NG-1, NG-3 + S Holder, Plastic Edge Off, Rapid Burr, Plastic Rapid Burr,				
Packed Weight and Dimensions						
Code	Pack Quantity	Weight g	Wmm	Hmm	Lmm	
S20	10	40	65	8	83	

	Order Code	S20	
	Included Angle	60°	
	Blade Material	HSS M2	
	Blade Hardness	62 – 64 HRC	
	L: Overall Length	48mm	
	L1: Length Inside Handle	28mm	
	L2: Protrusion from Handle Length	20mm	
	L3: Cutting Length	6mm	
D: Shank Diameter	3.2mm		

Super Burr

S30 Heavy Duty Deburring Blade

	Order Code	S30			
	Pack Reference	BS3010			
	Cutting	Right Hand			
	Works best on	Internal and External Burrs			
	Used with Handle	NG-1, NG-3 + S Holder, Plastic Edge Off, Rapid Burr, Plastic Rapid Burr,			
Packed Weight and Dimensions					
Code	Pack Quantity	Weight g	Wmm	Hmm	Lmm
S30	10	40	65	8	83

	Order Code	S30
	Included Angle	40°
	Blade Material	HSS M2
	Blade Hardness	62 – 64 HRC
	L: Overall Length	48mm
	L1: Length Inside Handle	28mm
	L2: Protrusion from Handle Length	20mm
	L3: Min Cutting Width	2mm
	L4: Max Cutting Width	8mm
	D: Shank Diameter	3.2mm